



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

1. Identification of the substance & the company

Chemical name Sodium dichloroisocyanurate, dihydrate
Synonym(s) Sodium dichlor; Sodium dichloroisocyanurate, dihydrate; Sodium dichloro-s-triazinetriene dihydrate; CDB Clearon; Troclosen sodium, dehydrate
Chemical formula $\text{NaCl}_2(\text{NCO})_3 \cdot 2\text{H}_2\text{O}$
Chemical family Chloroisocyanurate
Molecular weight 256
Type of product and use For disinfectant, sanitizers, fungicides, bactericides and algaecides for pools, spas and hot tubs
Supplier NAVA Water Products
95 MacCorkle Ave. SW, South Charleston, WV 25303, USA
Tel: (304) 746-3000
Emergency Telephone Chemtrec (800)424-9300
Medical 1-800-420-9236

2. Composition / information on ingredients

Components CAS	Weight %	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM DICHLOROISO CYANURATE, DIHYDRATE 51580-86-0	99-100	Not determined	Not determined
SODIUM CHLORIDE 7647-14-5	0-1	Not determined	Not determined



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

3. Hazards identification

Emergency overview

White granules
Corrosive. Causes irreversible eye damage
May be fatal if inhaled
Harmful if absorbed through skin or swallowed
Strong oxidizing agent

Potential environmental effects The product is toxic to fish and aquatic organisms

Potential Health Effects:

- Eye Contact

Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

- Skin contact

Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation.
Prolonged skin exposure may cause permanent damage.

- Inhalation

Irritating to the nose, mouth, throat and lungs.
It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function.
Inhalation of high concentrations can result in permanent lung damage from the corrosive action of the lung.

- Ingestion

Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.
Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.

NFPA Ratings (Scale 0-4)

Health = 2, Fire = 0, Reactivity = 1.
Special Hazard Warning: OXIDIZER

HMIS Ratings (Scale 0-4)

Health = 3, Fire = 0, Reactivity = 1.



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

4. First-aid measures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advise.

Skin contact Take off contaminated clothing.
Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.

Inhalation Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

Ingestion Call poison control center, or doctor immediately for treatment advise.
Have person sip a glass of water if able to swallow.
Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to physician Probable mucosal damage may contraindicate the use of gastric lavage.

5. Fire - fighting measures

Flash point Not applicable
Auto-ignition temperature Not applicable

Suitable extinguishing media Water

Extinguishing media not to be used Do not use dry chemical extinguisher containing ammonia compounds.

Fire fighting procedure Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. Cool containers with water spray. On small fires, use water spray or fog.
On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

Unusual fire and explosion hazards When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine and CO.



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

6. Accidental release measures

Personal precautions

For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls; chemical resistant gloves; chemical resistant footwear; and chemical resistant headgear for overhead exposure.

For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material.

CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Methods for cleaning up

Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

- Soil

Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea.

Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

- Water

This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.

- In air

Vapors may be suppressed by the use of water fog.



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

7. Handling and storage

Handling Do not take internally.
Avoid contact with skin, eyes, and clothing.
Upon contact with skin or eyes, wash off with water.

Storage Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid"). Do not store at temperatures above 60°C/140°F.
Product has an indefinite shelf-life limitation.

8. Exposure controls / personal protection

Ventilation requirements Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs.
Otherwise, ensure good general ventilation.

Personal protective equipment:

A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

- **Respiratory protection** When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter.
- **Hand protection** Neoprene gloves
- **Eye protection** Use chemical safety glasses to avoid eye contact.
Where industrial use occurs, chemical goggles may be required.
- **Skin and body protection** Impervious body covering clothes, boots and neoprene apron

Hygiene measures Safety shower and eye bath should be provided. Do not eat, drink or smoke until after-work showering and changing clothes.

9. Physical and chemical properties

Appearance White granules
Odor Mild chlorine-like
Melting point/range Not applicable
Boiling point/range Not applicable
Vapour pressure Not applicable under standard conditions
Vapor density Not applicable under standard conditions
Evaporation rate (ether=1) Not applicable under standard conditions



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

Solubility:
- Solubility in water 25 g/100ml at 30°C
Bulk density 0.9-0.95 g/cc
Specific gravity 0.96
pH 6-6.5 (1% solution)
Decomposition temperature Begins to lose 1 mole water at approximately 50°C; second mole water at 95°C;
Decomposes at 240-250°C

10. Stability and reactivity

Stability Stable under normal conditions Do not package in paper or cardboard.
Begins to lose one mole of water at approximately 50°C

Materials to avoid Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.

Conditions to avoid Heating above decomposition temperature

Hazardous decomposition products Nitrogen trichloride, chlorine, carbon monoxide

Hazardous polymerization Will not occur

Summary of Reactivity: Oxidizer: Yes
Organic Peroxide: No
Pyroforic: No
Water Reactive: No

11. Toxicological information

Acute toxicity:
- Rat oral LD50 735 mg/kg
- Rabbit dermal LD50 >2000 mg/kg
- Rat inhalation LC50 >50 mg/m³/1 hour
- Eye irritation (rabbit) Corrosive
- Dermal irritation (rabbit) Corrosive
- Dermal sensitization Not a sensitizer

Immediately Dangerous to Life or Health (IDLH) No level has been established for the components or the product itself.



MATERIAL SAFETY DATA SHEET

Product Name	Azure Multi-Functional Chlorinating Granules	
Product id	2007M-AZ	
Revision date	05/12/2006	Revision: 2
Supersedes	23/03/2006	

Target organ effects	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. There are no known or reported effects from repeated exposure. Toxicological investigation indicates it does not produce significant effects from chronic exposure.
Chronic toxicity	Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.
Mutagenicity	Not mutagenic in five Salmonella strains with or without metabolic activation.
Carcinogenicity	Not classified by IARC, OSHA, EPA. Not included in NTP 11th Report on Carcinogens.
Reproductive toxicity	Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects.

12. Ecological information

Aquatic toxicity :	
- 96 Hour-LC50, Fish	0.22 mg/l (Rainbow trout) 0.28 mg/l (bluegill sunfish)
- 48 Hour-LC50, Daphnia magna	0.2 mg/l
Avian toxicity:	
- Oral LD50, Bobwhite quail	730 mg/kg
- Oral LD50, Mallard duck	3300 mg/kg
- Dietary LC50, Mallard duck	>10,000 ppm
- Dietary LC50, Bobwhite quail	>10,000 ppm

13. Disposal considerations

Waste disposal	Care must be taken to prevent environmental contamination from the use of this material. Observe all federal, state and local environmental regulations when disposing of this material.
-----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

14. Transportation information

DOT Not regulated

15. Regulatory information

USA Reported in the EPA TSCA Inventory

Sara (311, 312) hazard class This product is categorized as an immediate health hazard, and fire and reactivity physical hazard

- Massachusetts right-to-know list Listed

- Pennsylvania right to know list Listed

- WASTE CLASSIFICATIONS If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.

- Workplace Classification This product is considered hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

EEC No. 220-767-7; 231-598-3

Japanese METI ENCS Nos: 5-1043X, 1-236

Australia Listed in AICS

Philippines Listed in PICCS

16. Other information

This data sheet contains changes from the previous version in section(s)

1



MATERIAL SAFETY DATA SHEET

Product Name Azure Multi-Functional Chlorinating Granules
Product id 2007M-AZ
Revision date 05/12/2006
Supersedes 23/03/2006

Revision: 2

The information in this Material Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product.

This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product.

Additionally, if this Material Safety Data Sheet is more than three years old, you should contact NAVA Water products at the phone number listed below to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, NAVA Water Products makes no representations as to the completeness or accuracy thereof.

Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use.

In no event will NAVA Water Products be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

In an event of discrepancy between the contents of this MSDS and the English version of it, the English version shall prevail.

End of safety data sheet