

MATERIAL SAFETY DATA SHEET
FOR COATINGS, RESINS AND RELATED MATERIALS
DATE OF PREPARATION - 01-01-06

PAGE #1

MANUFACTURER'S NAME : Kelley Technical Coatings
ADDRESS : 1445 South 15th Street
ADDRESS : PO Box 3726
ADDRESS :
CITY, STATE : Louisville, Kentucky, 40201-3726

EMERGENCY TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (800) 424-9300-
INFORMATION TELEPHONE NO. DAY: (502) 636-2561- NIGHT: (502) 363-9721-

SECTION I -- PRODUCT IDENTIFICATION

MANUFACTURER'S CODE IDENTIFICATION : 214
PRODUCT CLASS : Water Base Epoxy
TRADE NAME : POXOPRIME II, 2PK
HMIS INFORMATION : HEALTH : 02
FLAMMABILITY : 01
REACTIVITY : 01
PERSONAL PROTECTIVE EQUIPMENT : REFER TO "SECTION VIII"

SECTION II -- HAZARDOUS INGREDIENTS

----- INGREDIENT -----		%BY	ACGIH	OSHA	SAR NUIS
MATERIAL DESCRIPTION Cas		WEIGHT T.L.V.		P.E.L	313 PGMT
2-BUTOXYETHANOL					
	111-76-2	3.1608	25PPM	50PPM	Y N
BUTOXY PROPANOL					
	1569-01-3	1.991	Not Estab	Not Estab.	Y N

If indicated above; this material could constitute a personnel hazard.

If the CAS# field above starts with ## then this material is considered
a trade secret.

SECTION III -- PHYSICAL DATA

LOWER EXPLOSION LEVEL		1.0 - 1.2	
BOILING RANGE	HIGH	343 DF	LOW 336 DF
VAPOR PRESSURE		0.88 MMHG @ 68DF	
VAPOR DENSITY		HEAVIER THAN AIR	
EVAPORATION RATE		SLOWER THAN BUTYL ACETATE	
WEIGHT PER GALLON		12.47	
% VOLATILE BY VOLUME		49.55	
% VOLATILE BY WEIGHT		33.17	
VOC --- LBS/GAL		1.08	LBS/GAL No Water 1.68
GRAMS/LITER		129.1	GRAMS/LITER 201.04

SECTION IV -- FIRE AND EXPLOSION DATA

MANUFACTURER'S CODE 214
TRADE NAME POXOPRIME II, 2PK,

DATE OF PREPARATION - 01-01-06

FLAMMABILITY CLASSIFICATION OSHA - CLASS III-B

DOT - NOT REGULATED

LOWEST FLASH POINT T.C.C. 201 DF

LOWER EXPLOSION LEVEL (LEL) 1.1%

Extinguishing Media: (No) - Foam (No) - Alcohol Foam (No) - CO2
(No) - Dry Chemical (No) - Water Fog (No) - Other

Unusual Fire and Explosion Hazards: - None

Special Fire Fighting Procedures: - None

SECTION V -- HEALTH HAZARD DATA

To the best of our knowledge, this product does not
contain any carcinogenic ingredients.

Effects of Overexposure: - None

Primary Route(s) of Entry: (No) - Dermal (No) - Inhalation
(No) - Ingestion

Emergency and First Aid Procedures: - None

Medical Conditions Prone to Aggravation by Exposure:

- Pre-existing respiratory, eye and skin conditions.

SECTION VI -- REACTIVITY DATA

Stability: () - Unstable (X) - Stable

Hazardous Polymerization: () - May Occur (X) - Will Not Occur

Hazardous Decomposition Products: - None

Conditions to Avoid: - None

Incompatibility (Materials to Avoid): - None

SECTION VII -- SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Leaked or Spilled: - None

Waste Disposal Method: - None

SECTION VIII -- SAFE HANDLING AND USE INFORMATION

MANUFACTURER'S CODE 214
TRADE NAME POXOPRIME II, 2PK,

DATE OF PREPARATION - 01-01-06

Respiratory Protection: - None
Ventilation: - None
Protective Gloves: - None
Eye Protection: - None
Other Protective Equipment: - None
Hygienic Practices: - Remove paint from skin contact after exposure.

SECTION IX -- SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing: - None
Other Precautions: - None